

 **ICON**™ Corrosion-Free  
PROCESS CONTROLS Instrumentation Equipment™

## LevelPro® Package 1

- ✓ ProScan®3 Radar Level Sensor
- ✓ ShoPro® Display
- ✓ SBF Self-Aligning Bulkhead
- ✓ CablePro® Instrumentation Cable
- ✓ VAC Power Cable

Part Number: **PP-PS38000-SP-SBF**

**Note:** The package includes all items listed above.

# Icon Process Controls

## LevelPro® Package 1



Package Part Number:  
**PP-PS38000-SP-SBF**

### ProScan®3 Radar Level Sensor

- Bluetooth Connectivity
- 80GHz Frequency
- Not Affected by Vapor | Out gassing
- 4-20mA | RS485 Communication
- 34ft Measuring Range

PP Body

PP Transducer

2" NPT Connection



LED Display

### ShoPro® Level Display

- All-in-one | Out of the Box Ready to use
- NEMA 4X Polycarbonate Enclosure
- 4-20mA Output Only

NEMA 4X Enclosure

Quick Connect



Swivel Movement

PVC Body

### SBF Self-Aligning Bulkhead

- Corrosion Resistant
- Perfect Mate for Plastic Tanks
- Easy to Install




### CablePro® Instrumentation Cable

- Corrosion Resistant PVC Jacket, 25ft



### VAC Power Cable

- Standard North American Plug, 18AWG, 15ft



Bluetooth

Available on the App Store

ANDROID APP ON Google play

# LevelPro®

2-Wire Loop Powered



### Benefits


- ✓ Non-Contact
- ✓ Suitable for Any Specific Gravity
- ✓ Not Affected by Foam | Vapor



# Icon Process Controls LevelPro® Package 1



## SBF Self-Aligning Bulkhead



## ClamPro® FPC



## Display Options

(not included in the package)

Part No.: PPTVL-550-1829

### TVL Level Display

- Large Bright LED Display
- Corrosion-Free | NEMA 4X Enclosure
- 1 Relay + 4-20mA Output



Part No.: PPTVU-1429

### TVU Level Display

- Programmable LED Colors
- Completely Thermoplastic | NEMA 4X
- 2 Relays + 4-20mA outputs



## Mounting Options

(not included in the package)

Part No.: PPLB75

### LB75 Tank Top Mounting Bracket

- Easy Installation
- Corrosion Resistant PVC Material
- 2" NPT Connection



Part No.: PPLB50

### LB50 Wall Mounting Bracket

- Heavy Duty Design
- Corrosion Resistant GFPP Material
- UV Protected for Outdoor Applications



# Icon Process Controls LevelPro® Package 1




ICON™ Corrosion-Free  
PROCESS CONTROLS Instrumentation Equipment™

## ShoPro® Wiring




### Power Supply



⚠ 120VAC

### Sensor Input



## ProScan®3 Wiring



No Tools  
Required



Rotate display anti-clockwise  
to access wiring terminals

Red : +ve Terminal  
Black : -ve Terminal



# The Future of **Non-Contact Level** Measurement is Radar Technology!