

Poly Processing Company
 Incremental Capacity Sheet for Upright Tanks

Tank: 8500 Gallons, Upright
 Print Date: 10/22/19

Outside Diameter = 120.00 in
 Shell Length = 178.50 in
 Calculated Capacity = 8488 gal

| Inches | Gallons | Inches | Gallons | Inches | Gallons | Inches | Gallons | Inches | Gallons |
|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|
| 1 | 48 | 41 | 1950 | 81 | 3852 | 121 | 5754 | 161 | 7656 |
| 2 | 95 | 42 | 1997 | 82 | 3899 | 122 | 5801 | 162 | 7703 |
| 3 | 143 | 43 | 2045 | 83 | 3947 | 123 | 5849 | 163 | 7751 |
| 4 | 190 | 44 | 2092 | 84 | 3994 | 124 | 5896 | 164 | 7798 |
| 5 | 238 | 45 | 2140 | 85 | 4042 | 125 | 5944 | 165 | 7846 |
| 6 | 285 | 46 | 2187 | 86 | 4089 | 126 | 5992 | 166 | 7894 |
| 7 | 333 | 47 | 2235 | 87 | 4137 | 127 | 6039 | 167 | 7941 |
| 8 | 380 | 48 | 2282 | 88 | 4185 | 128 | 6087 | 168 | 7989 |
| 9 | 428 | 49 | 2330 | 89 | 4232 | 129 | 6134 | 169 | 8036 |
| 10 | 476 | 50 | 2378 | 90 | 4280 | 130 | 6182 | 170 | 8084 |
| 11 | 523 | 51 | 2425 | 91 | 4327 | 131 | 6229 | 171 | 8131 |
| 12 | 571 | 52 | 2473 | 92 | 4375 | 132 | 6277 | 172 | 8179 |
| 13 | 618 | 53 | 2520 | 93 | 4422 | 133 | 6324 | 173 | 8226 |
| 14 | 666 | 54 | 2568 | 94 | 4470 | 134 | 6372 | 174 | 8274 |
| 15 | 713 | 55 | 2615 | 95 | 4517 | 135 | 6419 | 175 | 8322 |
| 16 | 761 | 56 | 2663 | 96 | 4565 | 136 | 6467 | 176 | 8369 |
| 17 | 808 | 57 | 2710 | 97 | 4613 | 137 | 6515 | 177 | 8417 |
| 18 | 856 | 58 | 2758 | 98 | 4660 | 138 | 6562 | 178 | 8464 |
| 19 | 903 | 59 | 2806 | 99 | 4708 | 139 | 6610 | 179 | 8488 |
| 20 | 951 | 60 | 2853 | 100 | 4755 | 140 | 6657 | | |
| 21 | 999 | 61 | 2901 | 101 | 4803 | 141 | 6705 | | |
| 22 | 1046 | 62 | 2948 | 102 | 4850 | 142 | 6752 | | |
| 23 | 1094 | 63 | 2996 | 103 | 4898 | 143 | 6800 | | |
| 24 | 1141 | 64 | 3043 | 104 | 4945 | 144 | 6847 | | |
| 25 | 1189 | 65 | 3091 | 105 | 4993 | 145 | 6895 | | |
| 26 | 1236 | 66 | 3138 | 106 | 5040 | 146 | 6943 | | |
| 27 | 1284 | 67 | 3186 | 107 | 5088 | 147 | 6990 | | |
| 28 | 1331 | 68 | 3234 | 108 | 5136 | 148 | 7038 | | |
| 29 | 1379 | 69 | 3281 | 109 | 5183 | 149 | 7085 | | |
| 30 | 1427 | 70 | 3329 | 110 | 5231 | 150 | 7133 | | |
| 31 | 1474 | 71 | 3376 | 111 | 5278 | 151 | 7180 | | |
| 32 | 1522 | 72 | 3424 | 112 | 5326 | 152 | 7228 | | |
| 33 | 1569 | 73 | 3471 | 113 | 5373 | 153 | 7275 | | |
| 34 | 1617 | 74 | 3519 | 114 | 5421 | 154 | 7323 | | |
| 35 | 1664 | 75 | 3566 | 115 | 5468 | 155 | 7371 | | |
| 36 | 1712 | 76 | 3614 | 116 | 5516 | 156 | 7418 | | |
| 37 | 1759 | 77 | 3661 | 117 | 5564 | 157 | 7466 | | |
| 38 | 1807 | 78 | 3709 | 118 | 5611 | 158 | 7513 | | |
| 39 | 1855 | 79 | 3757 | 119 | 5659 | 159 | 7561 | | |
| 40 | 1902 | 80 | 3804 | 120 | 5706 | 160 | 7608 | | |

NOTE: The above values are not intended for input or output metering.